


Do Vaccines cause long lasting negative side effects?

Over the years, many myths have developed around vaccines; especially around the COVID-19 vaccine.

A common myth based around vaccines is that they cause infertility and blood clots. But is this really true? Many studies from places like Immunize BC and UNICEF show that vaccines hardly ever cause serious long-term effects.

Time of side effects from vaccines:




That is also backed up by this quote; “Studies done on vaccines’ side effects have shown that there are no serious side effects after vaccination. As for minor side effects after vaccination, these can be in the form of a localized effect such as pain, swelling or redness at the injection site and again some systemic effects in the form of a fever, then pain in the muscles and joints, nausea and fainting”. - Dr. Marija Božović from the Public Health Institute of Montenegro.

In the December of 2020, many people claimed that the vaccines contained a protein called Syncytin-1 which is a vital for the development of the placenta in women who are

pregnant, and that the vaccine would disrupt pregnancy; ultimately leading to infertility or a miscarriage in birth. Why is this false? Syncytin-1 does share some small genetic code with the vaccine, but the proteins are both completely different. Therefore making it impossible for the antibodies from the vaccines to attack any other proteins, other than the protein which causes COVID-19. To put this into a more clear perspective, your body confusing placental protein and attacking it would be like you attacking a frog instead of green turtle because they're both green.

So ultimately, there is nothing to fear about getting vaccinated! Whether it's for Covid-19, or something else, as long as you make sure you are being safe by going to a walk-in or a medical clinic, and checking with the people who are helping you that no allergies or something else will get in the way, the safest thing you can do is get vaccinated! Sure, you might have some aching, or soreness for a day or two, but that is normal. If you have just been vaccinated, and you feel something is wrong, or side-effects have been lasting for more than 2-3 days, you should check-in with your doctor just to be safe.

So don't be scared, get vaccinated today!



By Alexander S. and James St.